

Heavy Duty pressure gauges with Bourdon tube and glycerine filling

Nominal sizes ND 63

Connection position bottom, radial or back, central



Description

The tried and tested system technology of the **ABS**glycerine pressure gauge is encased in high grade plastic.

ABS (Acrylnitril-Butadien-Styrol) is a corrosion resistant and shock proof case material and presents an alternative to pressure gauges with metal or pressed brass cases.

The glycerine filling provides smooth pointer motion, thus ensuring an accurate reading even under extreme load and strong vibration conditions. Furthermore, the lubrating action of the glycerine offers and effective counter against extreme wear.

Such properties enable the **ABS** glycerine pressure gauges to be deployed practically anywhere.

The facility for panel mounting is provided by a back central pressure connection and a mounting bracket.

Features

- o Case, plastic (ABS)
- o Accuracy class 1.6
- o Copper alloy measuring system
- o Vibration-free display
- o Protection IP 65

Ranges

0 ... 0.6 bar to 0 ... 1000 bar

Applications

General mechanical engineering, hydraulics, compressors, pumps, plant construction.

Models: 1450, 1452, 1456

e-Mail: info@tecsis.de Internet: www.tecsis.de

Technical data

Models	1450	1452	1456	Options
Nominal size		63		
Symbol	\bigcirc			
Accuracy class	1.6 to EN 837-1			
Ranges	01.0 bar to 01000 bar negative and positive gauge pressure			
Application	Constant load:3/4 x full scale valueAlternating load:2/3 x full scale valueshort-time:full scale value			
Case	Plastic, black with pressure relief opening			
Bezel	none			Stainless steel, black
Mounting	none			Front flange or front ring with mounting bracket
Window	Plexiglass			
Dial	Plastic, white, scale and imprint black			Dual scale
Pointer	Plastic, black			
Movement	CuZn-alloy			
Measuring element	Copper alloy up to 250 bar, above 400 bar stainless steel			
Pressure connection	CuZn-alloy			
- position	radial bottom		ntral ack	
- thread	G 1/4 B			Ohter threads on request
Liquid filling	Glycerine			
Temperatures				
- Medium	Tmin20°C, Tmax. 60°C			
- Ambient	Tmin25°C, Tmax. 60°C			
Temperature drift	0.3 %/10K if deviation from normal temperature 20°C			
Protection	IP 65 to EN 60 529/IEC 529			
Orifice				ø 0.3 ; ø 0.4 ; ø 0.8
Weight approx	0.18	3 kg	0.17 kg	

Dimensions









\$68